

INDEX MAPS.

T.30N, R. 7E. 2nd Mer.

	325		325		324		324		324		323
327	6	354	5	348	4	344	3	342	2	342	1 323
	354		353		347		344		340		342
327	7	353	8	347	9	343	10	340	11	341	12 323
	353		352		346		343		339-331	³³⁰ 331-341	
327	18	352	17	346	16	343	15	³³⁹ 333	14	330	13 322
	351		351		346		338 333		333		330
326	19	351	20	345	21		22	332	23	329	24 322
	350		350		345		338 335		332		329
326	30	349	29	345	28	³³⁷ 334	27	332	26	328	25 321
	349		348		336 335		334		331		328
326	31	348	32	336	33	333	34	331	35	328	36 321
	320		320	³³⁵ 319		319		319		319	319

Meanders 355

T.31N, R. 7E. 2nd Mer.

367	6	391	5	385	4	381	3	377	2	373	1	367
	390	390	384	381	377	373						
368	7	389	8	384	9	380	10	376	11	372	12	367
	390	389	384	380	376	372						
368	18	389	17	383	16	379	15	375	14	371	13	366
	388	388	383	379	375	371						
368	19	387	20	383	21	379	22	375	23	371	24	366
	387	387	382	378	374	370						
367	30	386	29	382	28	372	27	374	26	370	25	366
	386	386	382	378	374	370						
367	31	385	32	381	33	377	34	373	35	369	36	365
	365	364	364	363	363	363	363					

The figures on the lines refer to the page.

319

Township N^o 30 North of Range N^o 7 East 3rd Mer. Indiana

South Boundary

- Note On South Boundary of Sec 38
33. 33 An S. Ash 6 in. diam.
40. 00 Set a g. the post from which
a Buck 8 in. diam. bears N. 73 E. 38 links dist. and
a P. 10 " " " N. 37 W. 37 " "
66. 40 A W. Oak 18 in. diam.
80. 00 Set a Post Cor. to Sec. 35 & 36 from which
a Buck 20 in. diam. bears S. 20 E. 20 links dist. &
a B. Walnut 27 in. " " N. 70 W. 5 " "
- Land not described.

- Note On South Boundary of Sec 35
25. 16 A Buck 12 in. diam.
40. 00 Set a g. the post from which
a Cherry 4 in. diam. bears N. 81 E. 44 links dist. &
a W. Ash 18 " " " N. 54 W. 26 " "
54. 25 A Buck 15 " "
80. 00 Set a Post Cor. to Sec. 34 & 35 from which
a Cottonwood 8 in. diam. bears East 1 link dist. &
an Elm 5 " " " N. 54 W. 13 " "

- Note On South Boundary of Sec 34
22. 35 A Buck 14 in. diam.
40. 00 Set a g. the post from which
a Poplar 10 in. diam. bears N. 78 E. 38 links dist. &
a Sugar 15 " " " N. 71 W. 4 " "
65. 12 An S. Ash 20 in. diam.
80. 00 Set a Post Cor. to Sec. 33 & 34 from which
a W. Oak 36 in. diam. bears N. 63 E. 19 links dist. &
an Ash wood 5 " " " N. 79 W. 27 " "

- Note On South Boundary of Sec 33
18. 05 A Burr Oak 6 in. diam.
40. 00 Set a g. the post from which
a W. Oak 18 in. diam. bears N. 75 E. 22 links dist. &

T 30 N. R 7 E 3rd Mer. Indiana.

60.57 W. Oak 40 in. diam. bears N. 28 W. 31 links dist.
 50.00 A Buck 12 " "
 Set a Post Cor. to Sec. 32 & 33 from which
 an Elm 6 in. diam. bears N. 23 E. 13 links dist &
 a Red Oak 48 in. " " N. 84 W. 24 " "
 Land not described

West On South Boundary of Sec 32
 2. 44 Set a Post on the South Bank of Owl River, from which
 an Ironwood 6 in. diam. bears N. 40 E. 3 links dist &
 a B. Walnut 6 " " " S. 6 E. 4 " "
 Nov. 20th 182- Surveyed by
 David Willis D.S.

Began at a Post standing on the Left Bank of Owl
 River which is 2 chains and 44 links from the Cor
 of Sec. 32 & 33 T. 30 N. R. 7 E. Thence

West On South Boundary of Sec 32. Var. 6° 15' E.
 5. 81 Across Owl River. Set a Post on the Right Bank
 from which
 a Buckeye 7 in. diam. bears S. 12 W. 19 links dist &
 a Black Walnut 5 " " N. 19 E. 55 " "

29. 55 A W. Oak 20 in. diam.

40. 00 Set a Post from which
 a W. Oak 14 in. diam. bears N. 29 E. 35 links dist &
 a Do 28 " " N. 82 W. 51 " "

60. 27 A W. Oak 18 " "

80. 00 Set a Post Cor. to Sec. 31 & 32 from which
 a W. Oak 10 in. diam. bears N. 83 E. 41 links dist &
 a Do 13 " " N. 14 W. 37 " "

Land level & 1st rate. Timber mostly Oak.
 Undergth Maple. Briers & Grape vines.

West On South Boundary of Sec. 31

11. 50 Enter Marsh

21. 00 Left the same

24. 11 A W. Oak 10 in. diam.

40.00 Set a q. the post from which
a W. Oak 12 in. diam. bears N. 73 $\frac{1}{2}$ E. 82 links dist. &
a Do 14 " " " N. 1. W. 35 " "

53. 40 A W. Oak 34 in. diam.

62 83 Intersect the West Boundary 50 links North of
Timp^s post. Set a Post Cor. to Sec. 1. 6. 31. + 36.
from which

a W. Oak 12 in. diam. bears N. 23 E. 42 lks. dist. &
a " Do 12 " " " S. 52 W. 24 " "

Land & Timber much as before.

Surveyed by
Gylueter Libbey, D.S.

East Boundary

North On East Boundary of the 36.

17.00 A Stream 25 links wide Course S.W.

29 25 A Buck 6 in. diam.

40.00 Set a q. the post from which
a Buck 6 in. diam. bears S 18 W 24 links dist. &
a B. Ash 17 " " " N 48 W 38 " "

52.00 A Buck 10 in. diam.

50.00 Set a Post Corner to Sec. 25 + 36 from which
a W Oak 6 in. diam. bears S 66 W 8 links dist. &
a Buck 7 " " " N 54 W 17 " "
A B. Ash 6 in. diam.

Land not described

North On East Boundary of the 25

27.00 A B. Ash 6 in. diam.

40.00 Set a q. the post from which
an Elm 6 in. diam. bears S. 31 W. 13 links dist. &
a S. Ash 17 " " " N. 46 W. 32 " "

56. 96 A Buck 22 links wide Course S.W.

61. 84 A Hickory 16 in. diam.

50.00 Set a Post Cor. to Sec. 24 + 25 from which
a Sugar 21 in. diam. bears S. 43 W. 14 links dist. &

T. 30 N. R. 7. E. 2nd Mer. Indiana.

a Lymn 5 in. diam. bears N 58 W 23 links dist.
Land not described.

North On East Boundary of Sec. 24
10.50 Willow & Hemlock Swamp.
110.00 Set a g. Sec. post in Willow Swamp.
No bearing trees.
115.00 Left Swamp.
04.00 An Elm 17 in. diam.
88.00 Set a Post Cor. to Sec. 13 & 24 from which
an Elm 12 in. diam. bears S 33 W 13 links dist. &
a Buck 14 " " " N 75 W 10 " "
Land not described.

North On East Boundary of Sec. 13
0.00 A Stream 30 links wide. Course S. W.
27.25 A Dogwood 4 in. diam.
40.00 Set a g. Sec. post from which
a Sugar 3 in. diam. bears S 12 W 5 links dist. &
an Elm 15 " " " N. 33 W 20 " "
65.17 An Elm 20 " "
70.50 Intersect Set a Post on the South Bank of
Elk River. from which
an R. Oak 15 in. diam. bears N. 45 W. 13 links dist. &
an Ironwood 5 " " " N. 84 E. 5 "
Land 2nd rate. Timber as usual ^{David Hipley 10.5}
Began at a Post standing on the Left Bank of
Elk River 30 chains & 85 links from the g. Sec.
Corner On East side of Sec. 13. T. 30 N. R. 7. E.
North On East Boundary of Sec. 13 Var. S. 30 E
75.10 Right Bank of Elk River. A W. Oak 10 in.
diam. is Corner.
80.00 Set a Post Cor. to Sec. 12. 13 from which
a Buck 25 in. diam. bears N. 74 W. 47 links dist. &
an Elm 6 " " " S. 62 W. 67 " "
Land Rolling & 1st rate. Timber. Oak. Ash. Lymn. &c.

T 30 N. R 7 E 2nd Mer. Indiana.

323

North On East Boundary of Sec 12.

3. 75 To Bend in Cat River. Course S E.

A W Oak 8 in. diam. is Cor on the Right Bank.

19. 76 A Hickory 6 " " " " " " of River
Course S. W.

25. 41 A Sugar 7 in. diam.

40. 00 Set a g. Sec. post from which

a Beech 7 in. diam. bears N. 68 W. 8 links dist &

an Elm 4 " " " S. 32 W. 45 " "

65. 24 A Sugar 24 " "

80. 00 Set a Post Cor. to Sec. 1. 112 from which

a Beech 7 in. diam. bears N. 65 W. 53 links dist &

a Do 12 " " " N. 35 W. 46 " "

Land level & 1st rate. Timber. Oak Ash. Spruce.

Chenwood. & Buckeye. Under N. E. Ash. Beech

" " " " "

North On East Boundary of Sec 1.

17. 14 A Sugar 10 in. diam.

40. 00 Set a g. Sec post from which

a W. Ash 13 in. diam. bears S. 37 W. 23 links dist &

a Beech 14 " " " N. 28 W. 8 " "

49. 50 A Brook 6 links wide. Course S E.

50. 45 An Elm 7 in. diam.

80. 00 Set Temp. Turn Corner

Land & Timber. much as before

Oct 8th 1833.

North Boundary. var 5. 45 E

West On South Boundary of Sec 36. T 31 N R 7 E

10. 30 A Beech 14 in. diam.

40. 00 Set a Post for g. Sec. from which

a Beech 8 in. diam. bears N. 26 W. 15 links dist &

a Do 10 " " " N. 65 E 38 " "

49. 54 A Beech 12 " "

54. 00 A Brook 4 links wide. Course South.

T 30 N. R. 7. E. 2nd Mer. Indiana.

59.83 A Buck 13 in. diam.
 80.07 Set a Post Cor. to Secs 35 & 36 from which
 a Buck 8 in. diam. bears N 54 E 8 1/2 links dist &
 a Do 14 " " " N 40 1/2 W 36 " "
 Land level & 1st rate. Timber. Oak. Ash. Lynn.
 Sugar. Elm. Lynn. &c.

West On South Boundary of Sec 35. T 31 N. R. 7 E.

27.93 A Buckeye 7 in. diam.

45.00 Set a q. Sec. post from which
 a B Ash 14 in. diam. bears N 33 1/2 E 57 links dist &
 a Buckeye 4 " " " N 32 W 64 " "

42.00 A Brook 8 links wide. Course S E.

49.00 A Do 2 " " " N E.

82.10 A Buck 10 in. diam.

80.00 Set a Post Cor. to Secs 34 & 35 from which
 an Elm 8 in. diam. bears N 42 E 8 links dist &
 a Buck 6 " " " N 41 1/2 W 25 " "
 Land &c same as before.

West On South Boundary of Sec 34 T 31 N. R. 7 E.

17.52 A Buck 14 in. diam.

33.33 A W. Ash 24 " "

40.00 Set a q. Sec. post from which
 a Buck 9 in. diam. bears N 62 E 14 links dist &
 a Sugar 22 " " " N 61 1/2 W 24 " "

57.57 A Buck 18 in. diam.

74.70 A Do 12 " "

77.00 A Brook 5 links wide. Course S E.

80.00 Set a Post Cor. to Secs 33 & 34 from which
 a B. Oak 38 in. diam. bears N 8 W 22 links dist &
 a Buck 8 " " " N 46 E 41 " "
 Land &c same as last.

West On South Boundary of Sec 33 T 31 N. R. 7 E.

4.00 A Brook 6 links wide. Course N E.

- 5 00 Same Brook 6 links wide. Cor. S.E.
 13. 31 A Sugar 10 in. diam.
 35. 41 A Beech 8 " "
 40. 00 Set a g. Sec. post from which
 a Beech 12 in. diam. bears N. 40 E. 25 links dist. &
 a Do 14 " " " N. 40 W. 41 " "
 50 93 A Beech 18 " "
 67. 40 A White wood 30 in. diam.
 80. 00 Set a Post Cor. to Sec. 32 & 33 from which
 a Beech 6 in. diam. bears N. 68 E. 26 links dist. &
 a Do 12 " " " N. 30 W. 24 " "
 Land & Timber same.

-
- West On South Boundary of Sec 32. T 31 N. R 7 E.
 1. 75 A Stream 6 links wide. Course S.E.
 12. 60 A Beech 8 in. diam.
 27. 48 A Do 12 " "
 40. 00 Set a g. Sec. post from which
 a Beech 10 in. diam. bears N. 72 E. 40 links dist. &
 a Do 11 " " " N. 18 W. 28 " "
 46. 00 A Brook 6 links wide. Course S.E.
 54. 00 Another Brook 4 links wide. Course S.E.
 61. 12 A Beech 24 in. diam.
 69 50 A Brook 12 links wide. Course South.
 77. 00 Same " " " " N.E.
 80. 00 Set a Post Cor. to Sec. 31 & 32 from which
 a Beech 4 in. diam. bears N. 68 E. 10 links dist. &
 a Do 9 " " " N. 44 W. 12 " "
 Land Rolling and 1st rate. Timber. Oak. Ash
 Sugar. Beech & Lyrn. Underg^d same.

-
- West On South Boundary of Sec 31 T 31 N. R 7 E.
 6. 00 A Brook 10 links wide. Course S.E.
 13. 57 A Beech 10 in. diam.
 40. 00 Set a g. Sec. post from which
 a W. Ash 14 in. diam. bears N. 75 W. 23 lks dist. &

T. 30. N. R. 7. E. 1st Mer. Indiana.

- a Buck 14 in. diam. bears N 45 E 11 links dist.
48. 07 A Buck 10 " "
63. 92 Intersect Range line 52 links North of Temp^l Post
Set a post from which
a Buck 18 in. diam. bears S 30 W 11 links dist. &
a Do 14 " " " S 38 E 24 " "
- Land &c much the same.

West Boundary Mar. 5. 45 E.

- North On East Boundary of Sec 36 T. 30. N. R. 6. E.
32. 24 A W. Oak 16 in. diam.
45. 07 Set a q. the post from which
a W. Oak 20 in. diam. bears N 57 W 81 links dist. &
a Do 16 " " " S 39 W 22 " "
47. 50 A Brook 10 links wide. Course S W.
63. 39 A Sugar 12 in. diam.
80. 00 Set a Post Cor. to Sec. 25 & 36 from which
an Ironwood 7 in. diam. bears S 39 W 17 links dist. &
an Elm 8 " " " N 5 W 7 " "
- Land level. South $\frac{1}{2}$ 2nd rate. Timber Oak.
North $\frac{1}{2}$ 1st rate. Timber. Oak. Ash. Elm. Sugar.
Buck. 43. Walnut & Ironwood. Undergrowth
much the same.

- North On East Boundary of Sec 25 T. 30 N. R. 6. E.
- 19 08 A Maple 10 in. diam.
- 40 00 Set a q. the post. from which
an Ironwood 6 in. diam. bears S 44 $\frac{1}{2}$ W 4 links dist. &
a Do 4 " " " N 29 $\frac{1}{2}$ W 34 " "
57. 07 A Brook 6 links wide. Course E
62. 89 A Red Oak 16 in. diam.
80. 07 To a Buck 20 " " Cor. to Sec. 24 & 25.
Land &c is last $\frac{1}{2}$ mile.

- North On East Boundary of Sec 24 T. 30 N. R. 6. E.
- 12 00 A Brook 5 links wide. Course E.

T 30 N. R 7 E 2nd Mer. Indiana.

327

18. 33 A W. Oak 10 in. diam.
 40. 07 Set a q. Sec. post from which
 an Elm - in. diam. bears S. 8 W 20 links dist &
 a Sugar 0 " " " N. 36 W 22 " "
 60. 11 A Buck 16 " "
 80. 07 Set a Post Cor. to Sec. 13 & 24 from which
 a Buck 14 in. diam. bears N. 8 7/2 W 6 7 links dist &
 an Elm 7 " " " S. 44 W 27 " "
 Land is much the same. Oct 7th 1833.

- North On East Boundary of the 13 T 30 N. R 6 E
 3. 50 A Buck 5 links wide. Course S E.
 15. 81 A Buck 12 in. diam.
 40. 07 Set a q. Sec. post from which
 a Sugar 6 in. diam. bears N. 19 W. 22 links dist &
 a Buck 10 " " " S. 71 W. 43 " "
 60. 92 A D. 15 " "
 80. 07 Set a Post Cor. to Sec. 12 & 13 from which
 a Sugar 12 in. diam. bears N. 21 W 48 links dist &
 a Buck 18 " " " S. 63 W 24 " "
 Land is much the same.

- North On East Boundary of the 12 T 30 N. R 6 E.
 20. 40 An Elm 24 in. diam.
 40. 07 Set a q. Sec. post from which
 a Buck 8 in. diam. bears N. 6 W 43 links dist &
 an Elm 18 " " " S. 28 W 46 " "
 60. 07 A Buck 8 " "
 80. 07 Set a Post Cor. to Sec. 1. & 2 from which
 a Sugar 20 in. diam. bears N. 32 W. 40 links dist &
 a Buck 18 " " " S. 21 W. 41 " "
 Land is much the same.

- North On East Boundary of the 1. T 30 N. R 6 E.
 26. 14 A Buck 10 in. diam.
 40. 07 Set a q. Sec. post from which a

T31 N. R 7 E 2nd Mer. Indiana.

- Buck 20 in. diam. bears N. 35 W 19 links dist & a.
 Do. 18 " " " S. 23 W 32 " "
 59.81 A Sugar 25 " "
 80.07 Set Vimp's Corner.
 Land &c much the same.

Surveyed by
 Sylvester Sibley D.S.

Subdivisions

- North Between Sec. 35 & 36.
 8.93 A W. Oak 20-
 40.00 Set a gr. the post from which
 an Elm 20 in. diam. bears N. 46 E. 6 links dist &
 a Buck 12 " " " S. 83 E. 18 " "
 46.07 A Brook 8 links wide. Course West.
 62.25 A Cherry 20 in. diam.
 80.07 Set a Post Cor. to Sec. 25, 26, 35 & 36 from which
 a Water Buck 6 in. diam. bears N. 80 W. 6 links dist &
 an Elm 4 " " " S. 23 E. 10 " "
 Land level & 2nd rate. Timber. Buck. Ash. Elm.
 Undergr. Ash. Spice. Buck. &c.

- East On Ransom between Sec. 25 & 36.
 40.07 Set a Vimp's gr. the post
 80.43 Intersect E. Boundary 26 links S. of the Post.
 Land level & 2nd rate. Timber. Buck. Poplar.
 Ash. Elm. &c. Undergr. Spice & Buck.

- West Corrected between Sec. 25 & 36.
 40.21 Set a Post at ar. dist. from which
 a W. Oak 12 in. diam. bears N. 2 E. 8 links dist &
 a Buckeye 12 " " " S. 25 W. 21 " "
 80.43 to the Corner.

- North Between Sec. 25 & 26
 22.30 A Poplar 13 in. diam. & Enter Swamp.

T 30 N. R 7 E. 2nd Mer. Indiana. 329

- 38 00 Left the swamp.
 40.00 Set a gr. Sec. post. from which
 a Maple 8 in. diam. bears S 30 E 24 links dist. &
 a Do 20 " " " N 30 W 18 " "
 50.00 A Poplar 18 " "
 51.50 Swamp
 59.50 Left Do.
 80.00 Set a Post Cor. to Secs. 23, 24, 25 & 26 from which
 a W. Oak 40 in. diam. bears S. 57 E 4 links dist. &
 a Do 28 " " " S. 55 W. 11 " "
 Land level. & 3^d rate. Timber. Oak. Elm. Buck.
 Willow. &c.

-
- East On Random between Secs. 24 & 25
 8.50 To Pond.
 18.00 Left same
 40.00 Set a. Triang. gr. Sec. post.
 65.00 To Swamp
 75.00 Large Oak
 80 4.0 Intersect East Boundary 1/2 chains & 67 links South
 of the Post. Land level. 3^d rate. Timber. Oak. Lymn. &c.
 Underg. Willow &c.

-
- West Connected between Secs. 24 & 25
 40 20 Set a gr. Sec. post. at aver. dist. from which
 an Ash 10 in. diam. bears N. 30 E. 23 links dist. &
 a Do 8 " " " S. 72 W. 14 " "
 80. 40 To Sec. Corner

-
- North Between Secs. 23 & 24
 34.00 An Elm 10 in. diam.
 40.00 Set a gr. Sec. post. from which
 a W. Oak 20 in. diam. bears N 58 E 48 links dist. &
 a Do 20 " " " S 16 E 39 " "
 47.00 A W. Oak 30 " "
 80.00 Set a Post Cor. to Secs. 13, 14, 23 & 24 from which

T 30 N. R. 7. E. 2nd Mer. Indiana.

a W. Oak — in diam. bears S. 8 W 33 lks dist &
 a Do 12 " " " N. 57 E. 42 " "
 Land rolling 3rd rate. Timber Oak.

East On Random between Sec. 13 & 24
 40.00 Set a Temp^s of Sec. post
 43.00 Swamp.
 46.00 Left same
 50.50 Intersect N + S. line on E. Boundary 5 chains S. of Post
 Land rolling 3rd rate. Timber fallen. Undergth.
 Ash + Hazel.

West Connected between Sec. 13 & 24
 10.25 Set a Post at aver. dist. from which
 a W. Oak 30 in diam. bears N. 75 W. 35 links dist &
 a — No other bearing tree
 50.50 To Sec. Corner. May 13th 1828

North Between Sec. 13 & 14
 33.60 A W. Oak 22 in diam.
 40.00 Set a of Sec. post from which
 a W. Oak 12 in diam. bears S. 38 E. 50 links dist &
 a Do 15 " " " N. 37 W. 85 " "
 51.50 A Brook 12 links wide. Course W.
 58.27 A B. Oak 14 in diam.
 50.00 Set a Post corner to Sec. 11. 12. 13 & 14 from which
 a Buckeye 10 in diam. bears N. 7 E. 27 lks. dist &
 an Elm 4 " " " S. 58 W. 11 " "
 Land rolling & 3rd rate. Timber Oak.

North Between Sec. 11 & 12
 22.92 To East River. Set a Post Cor. to
 Sec. 11 & 12 from which
 a Lymn 15 in diam. bears S. 27 E. 12 lks dist &
 a Greenwood 6 " " " N. 28 W. 20 " "
 Land level & 1st rate. Timber Beech. Sugar.

Buckeye. &c. Undergth Spice.

West Between Secs 11 & 14
 16.57 A Beech 12 in. diam.
 38.13 Eel River. Current gentle Set a Post Cor. to Sec.
 11. 14. from which a Hackberry 4 in. diam.
 bears N. 35 W. 5 links dist. & S. 12 " "
 " N. 85 E. 13 " "
 Land Rolling & 2nd rate. Timber. Walnut and
 Hackberry. Undergth Spice.

East On ~~Rancho~~ between Secs 12 & 13
 15.00 Eel River. Current Brisk.
 Set a Post Cor. to Sec. 12 & 13 from which
 a Sugar 24 in. diam. bears N. 42 E. 6 links dist. &
 an Ironwood 7 " " " S. 8 E. 14 " "
 Land level & 2nd rate. Timber. Sugar. & Beech.

North Between Secs 34 & 35 in swamp.
 4.00 A Beech 7 in. diam. & Left "
 40.00 Set a q. Sec. post from which
 a Beech 12 in. diam. bears N. 45 W. 18 links dist. &
 an Ash 30 " " " S. 30 E. 24 " "
 47.70 A Sugar 40 " "
 50.00 Set a Post Cor. to Secs 26 27 34 & 35 from which
 a B. Oak 10 in. diam. bears N. 73 W. 10 links dist. &
 a Walnut 4 " " " S. 29 E. 14 " "
 Land level & 1st rate. Timber. Oak. Beech. Sugar.
 Walnut. Undergth Spice & Hazle.

East On Rancho between Secs 26 & 35
 40.00 Set a Temp^o q. Sec. post.
 40.00 A Creek 15 links wide Course N. W.
 50.30 Intersect N & S line 50 links North of the Post.
 Land level 2nd rate. Timber. Beech. Ash &c.
 Undergth Spice & Hazle.

T. 30. N. R. 7. E. 2nd Mer. Indiana.

West Corrected between Sec. 26 & 35
 40 15 Set a Post at aver. dist. from which
 an Ironwood 5 in. diam. bears N. 22 E. 15 links dist &
 a Buck 24 " " S. 12 W. 13 " "
 80 30 To the Corner

North Between Sec. 26 & 27.
 14 00 A Creek 12 links wide. Course West.
 22. 30 A W. Oak 30 in. diam.
 40. 00 Set a q. the post. from which
 an Oak 20 in. diam. bears S 60 W 89 links dist &
 a No other tree
 59 85 A W. Oak 14 in. diam.
 80. 00 Set a Post Cor. to Sec. 22. 23. 26 & 27 from which
 a W. Oak 10 in. diam. bears N. 18 W 11 links dist &
 a Q. 12 " " S. 22 W. 9 " "
 Land rolling and 3rd rate. Timber. Oak. Undergth.
 Hazle.

East On Random between Sec. 23 & 26
 40. 00 Set a Temp^l q. the post.
 46. 50 To Pnd
 66. 50 Left same
 79. 75 Intersect the N. & S. line 92 links North of the Post.
 Land Rolling 3rd rate. Timber. Oak. Undergth. Hazle.

West Corrected between Sec. 23 & 26
 39. 87 Set a q. the post at aver. dist. from which
 an Elm 12 in. diam. bears N. 66 E. 75 links dist &
 a W. Oak 10 " " S. 26 W. 27 " "
 79. 75 To the Corner

North Between Sec. 22 & 23
 22 45 A W. Oak 15 in. diam.
 40 00 Set a q. the post from which
 a Cherry 10 in. diam. bears N. 25 W. 21 links dist &

T 30 N. R. 7 E. 2nd Mer. Indiana.

333

a Beech 36 in. diam. bears S. 7 W. 37 links dist.
 49. 17 An Elm 24 . "
 50 00 Set a post Cor. to Secs. 14. 15. 22 + 23 from which
 a Buckeye 5 in. diam. bears N. 86 W. 4 links dist. &
 a Do 7 " " " N. 78 E. 10 "
 Land level and 1st rate. Timber. Beech. Ash.
 Walnut. Buckeye. Underg^d. Spice & Hazel.

North Between Secs. 14 & 15
 7. 00 A Creek 15 links wide. Course N. W.
 8. 00 A Do 15 " " N. E.
 10 00 Ed. River. Current brisk. Course S. W.
 Set a Post Cor. to Secs. 14 & 15. from which
 a Butternut 7 in. diam. bears S. 68 W.

West Between Secs. 15 & 22
 17 05 To Ed. River. Current Rapid. Course S. W.
 Set a Post Cor. to Secs. 15 & 22 from which
 a Beech 12 in. diam. bears N. 39 W. 6 links dist. &
 a Do 5 " " " S. 68 E. 15 "
 Land level and 1st rate. Timber. Beech. Ash.
 Buckeye. &c. Underg^d. Spice.

East On Random between Secs. 14 & 23
 10. 50 A Creek 15 links wide. Course N. W.
 40. 00 Set a Temp^o g. & Sec. post.
 50. 00 Intersect N. & E. line 1. 18 links North of the Post
 Land rolling & 3^d rate. Underg^d. Hazel.

West Correlated between Secs. 14 & 23.
 10. 00 Set a g. & Sec. post on true line from which
 a W. Oak 20 in. diam. bears S. 45 W. 16 links dist. &
 a Do 20 " " " S. 68 E. 36 "
 50 00 To Sec. Corner.

North Between Secs. 33 & 34

T. 30 N. R. 7. E. 3rd Mer. Indiana.

22. 75 A Cherry 12 in. diam.
 40. 00 Set a g. Sec. post from which
 an S. Ash 40 in. diam. bears South 7 links dist &
 a Water Buck 5 " " S 63 E 19 " "
 60. 00 A W. Oak 24 in. diam.
 70. 50 A Brook 6 links wide. Course West
 80. 00 Set a Post Cor. to Sec. 27. 28. 33 + 34 from which
 a Locust 7 in. diam. bears S. 81 E. 14 links dist &
 a W. Oak 36 " " N. 48 W. 40 " "
 Land Rolling and 3rd rate. Timber Oak. Undergth Maple.

- East On Random between Sec. 27 + 34.
 1. 50 A Stream 15 links wide. Course N. W.
 22. 50 A Do 15 " " S. W.
 40. 00 Set a Temp^{ry} g. Sec. post.
 50 10 Intersect 1.04 links North of the Post.
 Land Rolling + 2nd rate. Timber. Buck. Elm. W. Oak.
 &c. Undergth Maple. Hawth. May 14th 1828.

- West Corrected between Sec. 27 + 34
 40 05 Set a g. Sec. post from which. (at area dist)
 a Buck 14 in. diam. bears N 6 - 7 links dist &
 a Do 12 " " S 45 W 14 " "
 50 10 To Sec. Corner

- North Between Sec. 27. + 28
 5. 00 A Creek 12 links wide. Course N W
 6. 00 A Do 12 " " N E.
 8. 00 A Do 12 " " N W.
 8 00 A Buckeye 12 in. diam.
 23. 30 Elk River. Current moderate.
 Set a Post Cor. to Sec. 27 + 28 from which
 an Elm 30 in. diam. bears S. 58 W 14 links dist &
 a Do 30 " " S. 3 E. 14 " "
 Land level + 2nd rate. Timber. Elm. Buckeye. &c
 Undergth Ash.

T 30 N. R 7 E. 1^{ma} Mer. Indiana.

335

Note Between Sec? 22 + 27
 31. 00 A W. Oak 40 in. diam.
 35. 00 No Prairie
 40. 00 Set a post from which
 a W. Oak 8 in. diam. bears N. 12 E. 21 links dist. &
 a Buckeye 6 in. " S. 83 W. 23 " "
 58. 40 Eel River S. Current gentle.
 Set a Post Cor. to Sec? 22 + 27 from which
 a Buckeye 12 in. diam. bears S 55 W 10 links dist. &
 a W. Oak 6 " " N. 54 E 20 " "
 Land Rolling and 2nd rate Timber. Buck. Oak. &
 Undergth Maple.

Note Between Sec? 28 + 33
 4. 50 A Brook 5 links wide. Course North
 10. 25 A Hickory 15 in. diam.
 15 43 To Eel River. Rapid Current. Course West.
 Set a Post Cor. to Sec? 28 + 33 from which
 a B. Oak 24 in. diam. bears S. 84 W. 30 links dist. &
 a Buck 10 " " N. 61 E 19 " "
 Land rolling 1st rate. Timber. Buck. Buckeye.
 Ash. & Undergth Spice Ash. &

North Between Sec? 32 + 33
 3. 00 To Eel River. Set a Post Cor. to Sec? 32 + 33
 from which
 an Elm 40 in. diam. bears S. 16 W. 34 links dist. &
 a Water Buck 3 in. " N. 30 E. 2 " "
 May 15th 1828: Surveyed by
 W. B. Bently D.S.

T 30 N. R 7 E 2nd Mer. Indiana.

In pursuance of a Contract with, and instructions from Edward Tiffin Surveyor General of the United States, and conformably to the laws of the United States and the instructions of the said Surveyor General, I have surveyed and subdivided into Sec. Townships No 30 N. R. No 7 E. in the 1st Wayne district Indiana. And I certify that the foregoing are the correct Field Notes of the said survey of the Township.

Certified this 25th day of June 1828.

W. Bently D. S.

Continuation of the Survey of Township No 30 N. R 7 E. by John Hendricks D. S.

Commenced March 6th 1834, and completed March 13th 1834. Var. 5th 30' E

North Between Sec. 32 & 33 from the old Corner on the Left Bank of El River near the Town line

3. 00 Old Corner on the Left Bank of El River.

8. 10 Made Corner on the Right Bank for Sec. 32 & 33 from which

an Elm 30 in. diam. bears S 71 E 10 links dist & a W Oak 5 " " N 75 W 7 " "

40. 00 Set a g. See post from which

a W. Oak 15 in. diam. bears S. 41 E. 38 links dist &

a Do 15 " " N. 73 W 34 " "

47. 87 A W. Oak 24 " "

50. 00 Set a Post Cor. to Sec. 28. 29. 32. & 33. from which

a W. Oak 15 in. diam. bears S. 61 E. 32 links dist &

a Do 20 " " N. 25 W. 80 " "

Land Rolling and sparse Oak timber. inclining to Barrens. some small Prairies.

East On Random between Sec. 28 & 33.

To Old Corner on El River. Left Bank.

19. 50 Enter Mt. Prairie.

15. 00 About 10 chains South. a Cabin built by He
34. 00 A Brook 10 links wide. Course South
40. 00 Hit a Temp^o of Sec. Post.
44. 50 Enter Timbered Land.
59. 50 Intersect River
63. 50 Intersect Old Cor. on the Left Bank of Cal River.
1.50 links South of the Corner.

Wrat Corrected between Sec. 28 & 33

59. 50 Made learner on the Right Bank of Owl River.
from which
a Hycamore 8 ins diam. bears S 83 E 23 links dist &
a Hackberry 6 " " " N. 59 W. 19 " "
59. 71 At gr The post in Prairie from which
a B. Walnut 18 ins diam. bears S. 25 E. 49 links dist &
a Burr Oak 12 " " " S. 81 E. 457 . .
63. 50 To Sec. Corner.

North Between Sec. 27 & 28

From the old Corner on the Left Bank of Eel River.

23. 30 Old Corner on the Left Bank of Eel River
26. 80 Made Corner on the Right Bank of Eel River
from which
a Hackberry 10 in. diam. bears N. 4 E. 22 links dist. &
a Hickory 10 " " " S. 68 E. 60 " "
40. 00 Set a g. Sec. post from which
an Elm 8 in. diam. bears N. 27 W. 20 links dist. &
a Buckeye 9 in. " " N. 35 E. 25 " "
41. 32 Intersect Eel River from which
an Ironwood 5 in. diam. bears N. 37 W. 19 links dist. &
a Do 6 " " " S. 63 E. 22 " "
line continues in Eel River. This line would cross
the River and take a small Bar. or low bottom on
the Left side.
73 00 Leave Eel River. where made Corner on the Right
Bank. from which

T. & A. R. & E. 2nd Mer. Indianas

a W. Oak 10 in. diam. bears N. 69 E. 18 links dist. &
 a No. Oak 20 " " " N. 48 W. 31 " "
 80.00 Set a Post Cor. to Sec. 21. 22. 27 & 28 from which
 a Buckeye 12 in. diam. bears S. 20 W. 14 links dist. &
 a W. Oak 15 " " " N. 4 W. 42 " "
 Land Rolling & 2nd rate. Timber. Bush. Sugar.
 Oak &c. Undergth. Spice. Elm. Maple.

East On Random between Sec. 22 & 27
 To Old Cor. on Left Bank of Eel River
 18 25 Intersect Eel River.
 21 05 Intersect Old Corner 25 links North of the Post.
 18. 25 Made Cor. to Sec. 22 & 27 on the right Bank of
 Eel River. from which
 a Hornbeam 8 in. diam. bears S. 82 W. 9 links dist. &
 a W. Oak 5 " " " N. 6 W. 21 " "

West Corrected Between Sec. 22 & 27.

North Between Sec. 21 & 22.

11. 13 An Elm 20 in. diam.
 40.07 Set a q. Sec post from which
 a Beech 20 in. diam. bears N. 48 W. 11 links dist. &
 a Do 24 " " " S. 34 W. 13 " "
 47.67 A Buckeye 5 " "
 80.07 Set a Post Corner to Sec. 15-16. 21 & 22. from which
 a Beech 12 in. diam. bears S. 66 E. 6 links dist. &
 a Do 22 " " " N. 78 W. 14 " "
 Land rolling & the 1st 1/2 mile rich Last 1/2 mile
 2nd rate. Timber. Beech. Oak. Sugar. Spice. Dogwood.

East On Random between Sec. 15 & 22

40.07 Set a Temp^o q. Sec Post.

57.07 Intersect Eel River

61.85 Intersect 5 links S. of old Corner.

57.00 Made the Corner to Sec^s 15 & 22 on the Right Bank
from which
a Walnut 12 in. diam. bears N. 85 W 7 links dist. &
a Do 10 " " " N. 65 E 7 " "
Land rolling 2nd rate Timber as before.
March 6th 1834

West Corner between Sec^s 15 & 22
39.50 Set a q. Sec post at aver. dist. from which
a W. Oak 15 in. diam. bears S 83 W 7 links dist. &
a Cherry 15 " " " N. 21 E. 22 " "
57.00 To Sec. Corner

North Between Sec^s 14 & 15
To the old Cor. on Eel River
10.00 To old Corner on the left Bank.
12.42 Set a Post Corner to Sec^s 14 & 15 on the Right Bank
of Eel River. from which
a Hackberry 4 in. diam. bears S 61 E 22 links dist. &
a Buckeye 4 " " " N. 40 W 7 " "
17.34 A Buck 15 " "
40.00 Set a q. Sec post from which
an Elm 6 in. diam. bears S. 80 W. 5 links dist. &
a Buckeye 5 " " " N. 70 E 18 " "
in very ancient windfall.
80.00 Set a Post Corner to Sec^s 10. 11. 14 & 15 from which
a B. Ash 22 in. diam. bears N 31 E. 8 links dist. &
an Elm 10 " " " S. 70 W. 11 " "
Land Rolling & 2nd rate. 1st 1/2 mile very close
Undergth Timber on the last 1/2 mile. Birch.
Sugar Oak. &c.

East On. Random between Sec^s 11. & 14
To old Corner on the Left Bank of Eel River.
23.74 A Brook 15 links wide. Course S.E.
38.68 Intersect Eel River

T. B. N. R. 7 E. 9th Mer. Indiana.

11. 50 Intersect old Corner 118 links South of the Post
Land Rolling & rich.

West Corrected between Sec. 11. 111

39 81 In River 1 chain 113 links from the Right Bank.

38. 68 Made the Corner on the Right Bank of River
from which

a Lynn 10 in. diam. bears N. 57 E 21 links dist &

a Buckeye 12 " " " S. 72 W. 11 " "

North Between Sec. 10 111.

23. 00 A Brook 15 links wide. Course S. E.

23. 74 A Buckeye 10 in. diam.

27. 96 An Ash 80. " "

40. 00 Set a q. Sec. post from which

a Hornbeam 5 in. diam. bears N. 65 E. 27 links dist &

a Beech 12 " " " S. 38 W. 15 " "

50 78 A Brook 8 links wide. Course S. E.

50. 00 Set a Post Cor to Sec. 2. 3. 10 111 from which

a Beech 9 in. diam. bears S. 73 E. 10 links dist &

a Buckeye 11 " " " N. 52 W. 18 " "

Land Rolling & 2nd rate. Timber. Beech Oak. Ash.
Hickory. Sugar. Walnut. &c. Underg^g. Beech. Elm.
Lynn. Buckeye. &c.

East On Random between Sec. 2 111.

40. 00 Set a Temp^g q. Sec. post.

78. 68 Intersect the N. & S line 1. 118 links South of the Post.

First 1/2 mile 2nd rate. Last 1/2 mile 1st rate. and
heavy timbered

West Corrected between Sec. 2 111.

39 34 Set a q. Sec. post at over dist from which

a Beech 24 in. diam. bears N. 64 E. 10 links dist &

a Do 11 " " " S. 33 W. 5 " "

78 68 to Sec. Corner

T 30 N. R 7 E 2nd Mer. Indiana

341

North Between Sec. 11. 412 from which the old Corner. on the Left Bank of Owl River.

22 42 Old Corner on the Left Bank

25 27 Set a Post Corner to Sec. 11 412 on the Right Bank of Owl River from which

a Buck 10 in. diam. bears N 78 E 7 links dist &

a Do 10 " " " N 37 W 27 " "

40 00 Set a grade post from which

a Buck 8 in. diam. bears S. 74 E 16 links dist &

a Do 2 1/4 " " " N. 60 W. 13 " "

01 33 A W. Oak 20 in. diam.

80.00 Set a Post Corner to Sec. 1. 2. 11 412 from which

a Buckeye 4 in. diam. bears N. 20 E. 7 links dist &

a Sugar 20 " " " S. 29 W. 24 " "

Land rolling 1st p. mile 2nd rate Last p. mile 1st rate.
Timber. Walnut. Sugar. Oak. Ash. &c.

East On Ransom Between Sec. 12 413

From the Old Corner on the Left Bank of Owl River.

15 00 Old Corner on the Left Bank.

18 86 Made Corner to Sections 12 413 on the Right Bank of Owl River from which

an Ash 10 in. diam. bears N. 64 W. 26 links dist &

a Sycamore 15 in. " " S. 47 E. 22 " "

30 00 Intersect Owl River on the Right Bank Made

31.00

Corner to Sec. 12 413 from which

a Cherry 12 in. diam. bears S. 36 E. 7 links dist &

a W. Buck 6 " " " N. 18 W. 7 " "

March 7th 1834

West Between Sec. 12 413 from the Range line.

21 50 Intersect the River where made Corner to Sec. 12 413 from which

a Water Buck 6 in. diam. bears S. 67 W. 13 links dist &

a Do " 5 " " " N. 55 E. 5 " "

T 31. N. R. 7. E. 2nd Mer. Indiana.

East On Random between Sec. 1 & 2.
 32. 32 A Brook 8 links wide. Course South.
 40. 00 Set a Temp. q. Sec. Post
 52. 92 A Brook 8 links wide. Course South
 61. 70 Intersect the N & S line 1.77 links South of the Post.
 1st $\frac{1}{2}$ mile rolling 2nd rate. Last $\frac{1}{2}$ level & wet

West Corrected between Sec. 1 & 2
 40. 85 Set a q. Sec. post at aver. dist. from which
 an Iron wood 4 in. diam. bears N. 55 E. 8 links dist. &
 a Buck 4 " " " S. 71 W. 12 " "
 51 70 To the Corner.

North Between Sec. 1 & 2
 3. 35 A Buckeye 12 in. diam.
 40. 00 Set a q. Sec. post from which
 a Buck 12 in. diam. bears S. 81 W. 4 links dist. &
 a Do 15 " " " N. 34 E. 26 " "
 42. 09 A Buckeye 5 " "
 46. 50 A Brook 8 links wide Course S.E.
 61. 15 A Buck 11 in. diam.
 76. 00 Intersect the North Boundary 1.18 links East of
 the Post. Set a Post Cor. to Sec. 1 & 2 from which
 a Buck 20 in. diam. bears S. 68 E. 29 links dist. &
 a Do 20 " " " S. 54 W. 24 " "
 First $\frac{1}{2}$ mile good 2nd rate. last $\frac{1}{2}$ not so good.
 Heavy timber

North Between Sec. 2 & 3
 1. 01 A Buck 24 in. diam.
 40. 00 Set a q. Sec. post from which
 a S. Ash 28 in. diam. bears N. 61 E. 10 links dist. &
 a Maple 8 " " " S. 11 W. 30 " "
 48. 03 A Cherry 24 " "
 77 30 Intersect the North Boundary 1.41 links East of
 the Post Set a Post Cor. to Sec. 2 & 3 from which

T 30 N. R 7 E. 3rd Mer. Indiana. 343

a Beech 12 in. diam. bears S. 61 W 44 links dist &
 a Do 14 " " " S. 35 E. 30 "
 Land Rolling. Separate Timber. Beech. Sugar. Ash
 Oak. Hickory &c.

North Between Sec. 15 & 16.

9 45 A Brook 10 links wide. Course E

22. 31 A Beech 18 in. diam.

40. 00 At a g. Sec. post from which
 a Cherry 5 in. diam. bears N. 81 E. 12 links dist &
 a W. Oak 6 " " " N. 87 W 24 " "

42. 00 Enter Wind-fall. Course appears to be East.

49. 91 A Cherry 8 in. diam.

50. 00 Leave the Wind-fall

80. 00 At a Post Corner to Sec. 9 10. 15 & 16 from which
 a Beech 20 in. diam. bears S. 21 E. 29 links dist &
 a Do 18 " " " N. 21 E. 25 " "
 Land rolling Timber. Beech. Hickory. Cherry;
 Oak. &c. Underst Dogwood. Elm. & Beech.

East. On Random between Sec. 10 & 15.

40. 00 At a Temp. g. Sec. Post

77. 85 Intersect N & S line 70 links South of the Post.
 Land Rolling Timber as before.

West Connected between Sec. 10 & 15

1. 67 A Beech 16 in. diam.

38. 72 At a g. Sec. post at an ar. dist from which
 a Beech 20 in. diam. bears N. 52 E. 18 links dist &
 a Do 12 " " " S. 21 W. 10 " "

75. 95 A Cherry 12 " "

77. 85 To Sec. Corner. March 8th 1834

North Between Sec. 9 & 10

7. 79 A Beech 12 in. diam.

32. 10 A Brook 20 links wide Course S. E.

T. 30. N. R. 7. E. 2nd Mer. Indiana.

- 38.00 A Brook 15 links wide. Course S.W.
 39.50 A Do 15 " " " S.E.
 40.00 Set a post from which
 an Ash 15 in. diam. bears S 39 E 24 links dist &
 a W. Walnut 9 " " " N 71 W 25 " "
 72.33 A Buck 13 " "
 80.00 Set a Post Corner to Sec. 3 & 4. 9. 410 from which
 a Sugar 24 in. diam. bears N. 12 E. 24 links dist &
 a Buck 9 " " " S. 30 W. 31 " "
 Land Rolling & 2nd rate. Timber. Buck. Ash.
 Hickory. Maple. &c. Undergrowth very close Dogwood.
 Elm. Buck. Ironwood. &c.

- East On Random between Sec. 3 & 10
 2.22 A Spring Brook Course S.E.
 40.00 Set a Temp^o post from which
 40.25 A Spring Brook Course South
 65.00 A Do " " " S.E.
 68.00 A Brook 8 links wide. Course South.
 79.50 Intersect the N & 3 line 84 links South of the Post
 Land Rolling Last 1/4 mile broken.

- West Corner between Sec. 3 & 10.
 7.84 A Buck 15 in. diam.
 39.75 Set a post from which
 a Buck 5 in. diam. bears N. 74 W. 12 links dist &
 a Do 4 " " " N. 81 E. 2 " "
 60.66 A Buck 12 in. diam.
 79.50 To Sec. Corner.

- North Between Sec. 3 & 4
 26.88 A Buck 28 in. diam.
 40.00 Set a post from which
 a B. Ash 24 in. diam. bears S. 84 E. 8 links dist &
 a Buck 11 " " " N. 77 W. 23 " "
 47.73 A Buck 12 " "

T 30. N. R 7 E. 2nd Mer. Indiana.

345

77 57 Intersect the st. boundary 1.44 links East of the Post.
 Set a Post Cor. to Sec. 3. & 4 from which
 a Birch 15 in. diam. bears N. 15 W. 19 links dist. &
 a Do 15 " " " S 50 E 31 " "
 Land quite rolling, & very brushy. Timber & Underg.
 as before.

North Between Sec. 20 & 29
 3. 22 A W. Oak 12 in. diam.
 40.00 Set a g. the post from which
 a Hickory 15 in. diam. bears N. 25 W. 8 links dist. &
 an O. Oak 24 " " " East 70 " "
 57. 57 A Hickory 18 " "
 80. 00 Set a Post Cor. to Sec. 20 21. 28 & 29 from which
 a W. Oak 30 in. diam. bears N. 70 W. 9 1/2 links dist. &
 a Do 20 " " " S. 9 E. 1.41 " "
 Land rolling but interspersed with small wet
 Prairies. Timber, Oak & Hickory. Underg. Oak.
 Maple.

East On Random between Sec. 21 & 28
 5. 80 A Brook 12 links wide. Course S.E.
 40. 00 Set a Temp. g. the post
 79. 20 Intersect A & B line 44 links East of the Post.

West Corrected between Sec. 21 & 28
 39. 60 Set a g. the post at aver. dist. from which
 an Ironwood 10 in. diam. bears N. 26 E 3 1/2 links. dist. &
 a Maple 20 " " " S. 62 W 27 " "
 79 20 To Sec. Corner.
 Thin Oak Land. ~~Timber~~ Maple.

North Between Sec. 20 & 21
 5. 00 A Brook 12 links wide. Course S.E.
 40. 00 Set a g. the post from which
 a W. Oak 30 in. diam. bears East 8 links dist. &

T 30 N. R. 7. E. 2nd Mer. Indiana

a W. Oak 20 in. diam. bears S. 82 N. 42 links dist.
 55.50 A Hickory 20 " "
 80.00 Set a Post Corner to Sec. 10, 17, 20 & 21 from which
 a Buck 15 in. diam. bears S. 85 E. 10 links dist. &
 a Do 12 " " " S. 22 N. 21 " "
 Land rolling 1st 1/2 mile thin Oak Land. Last 1/2
 2nd rate. Timber Buck. Sugar. Hickory. &c.

East On Random between Sec. 10 & 21
 40.00 Set a Temp. g. Sec. post.
 79.25 Intersected N. & S. line 15 links North of Post.

West Corrected between Sec. 10 & 21
 2.00 A Buck 18 in. diam.
 39.02 1/2 Set a g. Sec. post. at aver. dist. from which
 an Ironwood 5 in. diam. bears N. 74 W. 5 links dist. &
 a W. Buck 5 " " " N. 61 E. 15 " "
 77.04 An Elm 40 " "
 79.25 To Sec. Corner.

North Between Sec. 10 & 17
 9.00 A Buck 20 in. diam.
 40.00 Set a g. Sec. post. from which
 an Elm 20 in. diam. bears N. 60 E. 24 links dist. &
 an Ash 15 " " " S. 49 W. 10 " "
 57.50 Wind-fall Course E & W. from 5 to 10 chains wide.
 80.00 Set a Post Cor. to Sec. 8, 9, 16 & 17 from which
 a Buck 20 in. diam. bears N. 11 E. 15 links dist. &
 an R. Oak 12 " " " S. 23 E. 44 " "
 Land 2nd rate. Very close Under brush.

East On Random between Sec. 9 & 16
 40.00 Set a Temp. g. Sec. post.
 79.00 Intersect N & S line 27 links North of the Post.
 Land level inclining to West. This line runs in
 the North skirts of a Wind-fall. Timber small

347

T. S. R. 7 E. 2nd Mer. Indiana.

and very close.

March 10th 1834

West Corrected between Sec. 9 & 10
 39. 50 Set a g. the post at aver. dist. from which
 a Hickory 5 in. diam. bears N. 50 W. 11 links dist. &
 an Old Oak 11 " " " S. 21 E. 27 " "
 57. 82 A Lynn 8 " "
 79 00 To Sec. Corner.

North Between Sec. 8 & 9
 9. 67 A Beech 20 in. diam.
 27. 80 A Brook 7 links wide. Course S. E.
 40. 00 Set a g. the post from which
 a Beech 12 in. diam. bears S. 21 W. 8 links dist. &
 a Do 20 " " " N. 9 W. 32 " "
 80. 00 Set a Post Cor. to Sec. 4. 5. 8. 9 from which
 a Beech 18 in. diam. bears S. 65 E. 10 links dist. &
 a Do 11 " " " N. 68 W. 6 " "
 Land quite Rolling soil 2nd rate. Timber. Beech.
 Oak. Ash. Hickory. Poplar. Walnut. &c. Underg.
 Beech. Sugar. Chenwood. &c.

East On Random between Sec. 4 & 9
 23. 10 A Brook 15 links wide. Course S. E.
 24. 00 Same 15 " " " N. E.
 26. 00 Same 15 " " " S. E.
 40. 00 Set a Temp. g. the post
 78 90 Intersect N. & S. line 1. 58 links N. of the Post.
 Land on the 1st mile Rolling. Last 1/2 m. 2nd rate.
 deep Ravines

West Corrected between Sec. 11 & 9
 19. 94 A Beech 20 in. diam.
 39. 40 Set a g. the post at aver. dist. from which
 a Beech 24 in. diam. bears N. 21 W. 13 links dist. &
 a Do 12 " " " S. 47 E. 57 " "

T. 30. N. R. 7. E. 2nd Mer. Indiana.

58.28 A Buck 22 in. diam.
78.90 To the Corner.

North Between Sec. 4 & 5.

3.34 A Brook 6 links wide

5.40 A Hickory 10 in. diam.

21.40 A Brook 15 links wide. Course N.E.

40.00 Set a g. the post from which
a Lynn 8 in. diam. bears N. 76 E. 29 links dist. &
a S. Ash 8 " " N. 35 E. 41 " "

50.57 A Buck 15 in. diam.

55.09 A Brook 8 links wide. Course S.E.

67.50 A Do 8 " " S.E.

78.44 Intersect the North Boundary 1.29 links East
of the Post. where set a Post Corner to Sec. 4 & 5
from which

a Buck 20 in. diam. bears S. 50 E. 39 links dist. &
a Do 14 " " S. 67 W. 14 " "

March 11th 1834.

North Between Sections 31 & 32

10.00 A Hickory 18 in. diam.

40.00 Set a g. the post from which
a W. Oak 20 in. diam. bears S. 14 W. 41 links dist. &
a Do 24 " " N. 35 W. 33 " "

45.00 Enter skirt of Prairie which appears to extend N.E.

58.00 Leave Prairie. west.

71.80 A W. Oak 20 in. diam.

80.00 Set a Post Corner to Sec. 29. 30. 31. & 32 from which
a W. Oak 20 in. diam. bears S. 10 W. 1.54 links dist. &
a Do 24 " " East 350 " "
Thin Oak Land. no Undergth except some Haze.

East On Random between Sec. 29 & 32.

25.00 Enter West Prairie

35.50 Leave " "

349

T 30 N. R 7 E 3rd Mer. Indiana.

- 40.00 Set a Temp. post. to the post.
 51.00 Enter neck of Prairie
 55.50 Leave Prairie.
 79.00 Intersect N & S. line 60 links North of the Post.
 Sand Rolling Timber Oak. inclining to Barrens.

-
- West Corrected between Sec. 29. & 32
 39.50 Set a gr. Sec. post at aver. dist from which
 a W. Oak 18 in. diam. bears N. 50 W. 60 links dist, &
 a Gr 15 " " " S. 25 E. 28 " "
 42.84 A W. Oak 13 " "
 79.00 To the Corner.

-
- West Between Sec. 30 & 31. On Random
 Enter Prairie
 10.00 Leave Gr.
 25.30 A Brook 25 links wide. Course South.
 64.00 Intersect the West Boundary 1.23 links North of the Post.

-
- East Corrected between Sec. 30 & 31
 At the Corner of Sec. 25 & 36. Made Cor. to Sec.
 30 & 31. on W. Boundary. from which
 a Beech 12 in. diam. bears S. 59 E. 41 links dist, &
 an Ironwood 4 " " " N. 50 E. 5 " "
 24.00 Set a gr. Sec. post on true line from which
 an Elm 4 in. diam. bears S. 38 W. 4 links dist, &
 an Ash 22 " " " N. 59 W. 23 " "
 48.70 An Ash 20 " "
 64.00 To the Corner.

-
- North Between Sec. 29 & 30
 8.00 Leave Prairie
 19.43 An Ash 24 in. diam.
 40.00 Set a gr. Sec. post from which
 a Butternut 6 in. diam. bears S. 76 E. 5 links dist, &
 an Ironwood 8 " " " North 40 " "

T. 30. N. R. 7. E. 3rd Mer. Indiana.

- 49 17 A W. Walnut 48 in. diam.
 65 00 Willow Swamp: perhaps 4. 00 wide.
 80. 00 At a Post Cor. to Sec. 19. 20 29. & 30 from which
 an Elm 9 in. diam. bears S. 71 E. 7 links dist. &
 a No. Oak 5 " " " N. 21 W. 20 " "
 Land Rolling. Soil rich. Timber. Buck.
 Sugar. Walnut. Hickory. Oak. &c. Underg.
 Maple. Sugar. Buck. &c.

- East On Random between Sec. 20 & 29.
 79. 27 Intersect N & O line 6 links North of the Post.
 Good Spruce. Rolling Land. Timber as before.

- West Connected between Sec. 20 & 29.
 22. 99 A Sugar 30 in. diam.
 39. 83 At a g. Sec. Post at even dist. from which.
 a Buck 20 in. diam. bears N. 85 E. 23 links dist. &
 a O 15 " " " S. 38 W. 33 " "
 79. 27 To the Corner.

- West On Random between Sec. 19 & 30
 20. 00 A Trace running S.E. & N.W. which is perhaps
 the track of a State Road we understand to be laid out.
 40. 35 A Brook 8 links wide. Course South.
 This appears to be formed & run from swamps.
 65 29 Intersect the West Boundary 1.94 links North of Post.
 Land &c. as before.

- East Connected between Sec. 19 & 30
 At the Corner of Sec. 24 & 25 made the Cor. to Sec.
 19 & 30. from which
 a Buck 24 in. diam. bears N. 49 E. 20 links dist. &
 a O 20 " " " S. 33 E. 42 " "
 25. 29 At a g. Sec. Post on true line from which
 an Elm 10 in. diam. bears S. 7 W. 10 links dist. &
 a Buckeye 10 in. " " N. 26 E. 15 " "

26. 40 A Buckeye 10 in. diam.
65 29 To Sec. Corner.

North Between Sec. 19 & 20

20. 59 A W. Oak 40 in. diam.

40 00 At a gr. Sec. post from which
a Buck 18 in. diam. bears N. 4 E. 18 links dist. &
an Elm 10 " " " S. 19 W. 17 " "

53. 83 A Buck 11 in. diam.

60 50 A Brook or Spring Branch 5 links wide. Course S E.

80. 00 At a Post Corner to Sec. 17 18. 19 & 20 from which
an Ironwood 8 in. diam. bears S 2 W 18 links dist. &
a Do 7 " " " N 58 E 31 " "

Land rolling & interspersed with low wet ground
and Willow swamps and were it not for these little
natural Baps which in many cases have no outlet
would be a fine country.

East On Random between Sec. 17 & 20

15. 00 Enter the Prairie

23. 81 A Brook 12 links wide. Course S E.

33. 00 Leave the Prairie.

63. 50 A Brook 5 links wide. Course S E.

78. 00 Intersect the N & S line 58 links South of the Post.

West Corrected between Sec. 17 & 20

91. 17 A Buck 12 in. diam.

39. 00 At a gr. Sec. post from which
a W. Oak 12 in. diam. bears S. 84 W. 4 links dist. &
a Do 13 " " " S. 44 E 32 " "

78. 00 To Sec. Corner.

West Between Sec. 18 & 19 On Random.

58. 50 A Brook 5 links wide. Course N E.

68. 42 Intersect. W. Boundary 2.27 North of the Corner.

T 30 N. R 7 E 2nd Mer. Indiana

East Corrected between Sec. 18 & 19
 26. 42 Set a q. Sec. post from which
 a W. Oak 24 in. diam. bears S 57 W 14 links dist. &
 a Buck 20 " " " N 67 E 27 " "
 56. 42 To Sec. Corner.
 Land level & rich. heavy timber

North Between Sec. 17 & 18
 11. 28 A Buck 20 in. diam.
 12. 50 A Brook 9 links wide. Course East.
 40. 00 Set a q. Sec. post from which
 a Buck 10 in. diam. bears N 41 W 12 links dist. &
 a Do 8 " " " S 49 E 28 " "
 50. 25 A Brook 12 links wide. Course S E.
 75. 20 A Buck 12 in. diam.
 80. 00 Set a post Cor. to Sec. 7. 8. 17 & 18 from which
 an Elm 7 in. diam. bears N 63 W 22 links dist. &
 a Do 9 " " " S 52 E 23 " "
 Land rolling. North & hilly & rich Timber. Buck
 Sugar. Elm. Walnut. Oak. Ash &c.
 March 12th 1834.

East On Ransom between Sec. 8 & 17
 14. 00 A Brook 5 links wide. Course South.
 79. 51 Intersect N & S line 14 links South of the Post.
 Land gently rolling & 4th row Timber small but
 lux. lying in the North skirts of a very ancient
 windfall.

West Corrected between Sec. 8 & 17
 39. 75 Set a q. Sec. post at aver. dist. from which
 a Buck 20 in. diam. bears N 61 E 22 links dist. &
 a Spruce 7 " " " S 18 W 14 " "
 00. 45 An Ironwood 9 in. diam.
 79. 54 To Section Corner

West On Random between Sec. 7 & 8
 12. 57 A Brook 8 links wide. Course South
 22 75 Do 12 " " " "
 48 13 Do 7 " " " " NE.
 52. 25 A Spring Branch. Course NE.
 66 20 Intersect. West Boundary 1.36 links North of the Post.
 Land. hilly. Soil 2nd rate.

Cast
 Corrected between Sec. 7 H8.
 At the Cor. of Sec. 12. H3 made Corner to Sec. 7 H8
 from which a
 Birch 15 in. diam. bears East 4 links dist. & a
 No. 14 " " " N. 29 E. 43 " "
 26. 20 To a q. The post from which
 a Sugar 16 in. diam. bears N. 85 W. 11 links dist. &
 a Do 10 " " " N. 31 W. 14 " "
 42. 28 An Ash 15 " "
 66 20 To the Corner.

North Between Sec. 7 & 8.
 15 29 A Buck 12 in. diam.
 24 00 A Buck or Spring Branch Course S.E.
 28 75 Do. " " " " S.W.
 40. 00 Set a g. Sec. post from which
 a Buck 20 in. diam. bears S 39 E 18 links dist. &
 a Do 24 " " " N. 10 W 32 " "
 52. 19 A Buck 19 " "
 80. 00 Set a Post onto Sec. 5. 6. 7. & 8 from which
 a Buck 12 in. diam. bears N. 88 W. 18 links dist. &
 a Do 8 " " " S. 29 E. 12 " "
 Land on the South 1/2 mile hill. North 1/2 rolling soil
 1st & 2nd rate. Timber. Buck Ash Oak
 Sugar. Poplar. Walnut. Hickory &c. Underg. #.
 Buck. Elm. &c.

East On Random between Sec. 5 & 8.

T. 30. N. R. 7. E. 2nd Mer. Indiana.

- 75.50 A Brook 5 links wide. Course N.E.
 78.71 Intersect the N & S line 25 links South of the Post.
 Land rolling & good. Timber same as before.

- West Corrected between Sec. 5 & 8
 19.51 A Buck 18 in. diam.
 39.35 Set a q. Sec. post at aver. dist. from which
 a Sugar 11 in. diam. bears S. 88 E. 14 links dist. &
 a Buck 15 " " " N. 29 W. 17 " "
 42.47 A Do 15 " "
 78.71 To Sec. Corner.

- West On Random between Sec. 6 & 7
 41.70 A Brook 5 links wide. Course S.E.
 56.11 Intersect N & S line on West Boundary 90 links
 North of the Post.
 Land rolling & good. Timber same.

- East Corrected between Sec. 6 & 7
 At the Cor. of Sec. 1 & 2 Made the cor. to Sec. 6 & 7
 from which a
 Buck 18 in. diam. bears N. 83 E. 17 lks. dist. &
 a Sugar 10 " " " S. 66 E. 20 " "
 1.88 A Buck 18 " "
 26.11 Set a q. Sec. post on true line from which
 a Buck 20 in. diam. bears S. 71 E. 24 links dist. &
 a Sugar 20 " " " N. 89 W. 12 " "
 45.92 A Buck 10 " "
 56.11 To Sec. Corner.

- North Between Sec. 5 & 6
 6.00 A Poplar 22 in. diam.
 26.37 A Spring Brook N.E.
 40.00 Set a q. Sec. post from which
 an Elm 24 in. diam. bears S. 88 W. 67 links dist. &
 an Ash 6 " " " S. 84 W. 54 " "

This spot in small Waller Swamp.

52.12 A Brook 5 links wide. Course SE.

53.03 A Brook 20 in. diam.

78.07 A Brook 12 links wide. Course SE.

78.50 Intersect the North Boundary 2.14 links East of the Post.

See a Post Corner to Sec. 5 & 6. from which
a Spruce 10 in. diam. bears S. 67° W. 14 links dist. &

a W. Oak 12 " " " S. 42° E. 70 " "

Land Selling 2nd rate. Timber mostly Birch.

March 13th 1834.

Meanders of Eel River. in Town 30. N. R. 7. E.

Beginning at a Corner on Town line between Towns
29. & 30. Thence up stream on the Right Bank in
Sec. 32.

Course Distances

N 21° E 5.00

N 50° E 2.50

Apr. 27th 1834

N 52° E 2.24 To Corner on line between Sec. 32 & 33.

Thence up stream on the right Bank in

N 50° E 9.00

Sec. 33. At 7.50 a small Island.

N 65° E 6.00

N 10° E 12.50

N 6° W 5.50

N 50° E 10.00

N 14° W 3.00

N 45° W 2.00

N 4° W 7.50

N 23° E 5.00

N 9° W 18.50 At Reddy's House

N 79° E 18.00 Mouth of Brook 13 links wide. Course South.

S 43° E 12.00

N 57° E 5.00

N 17° E 2.50

N 00° E 4.50

T. 30. N. R. 7. E. 2nd Mer. Indiana.

N 69 E 9.50 To Cor. on line between Sec. 28 & 33.

N 31 E 3.00

Thence in Sec. 28

N 25 W 7.00

Apr. 28th 1834

N 50 E 5.00

S 85 E 7.00

N 32 E 5.00

N 7 E 0.00

N 40 E 7.00

N 82 E 3.82 To line between Sec. 27 & 28

Thence up the River in Sec. 27

N 85 E 11.50 To lower end of Island.

N 50 E 4.50

N 85 E 3.00 To upper end of Island.

N 45 E 3.00

N 23 W 5.00

N 88 W 11.50

N 55 W 5.73 To corner on line between Sec. 27 & 28

Thence in Sec. 28

N 40 W 4.00 At 3.00 lower end of Island

N 15 W 12.50 At 4.00 upper end. "

N 16 E 9.50

N 30 E 9.36 To corner on line between Sections 27 & 28

Thence in Sec. 27

N 45 E 5.00

S 60 E 16.50

N 14 E 3.00

N 17 W 3.00

N 1 E 3.62 To the Corner on Range line between Sec. 22 & 27. Thence

N 9 W 11.00

In Sec. 22.

N 30 W 11.00

T 30 N R 7 E 2nd Mer. Indiana.

357

N 0' W 5.00 At 5th lower end of Island
 N 16' W 4.50
 N 10' E 11.00 At 8.50 Head of Island. Apr. 30th 1834
 N 52' E 8.00
 N 87' E 4.50
 S 76' E 6.15
 N 56' E 8.00
 N 41' E 13.00
 N 27' E 6.50 opposite a small Island.
 N 29' E 4.00
 N 26' E 7.50 At 8.5 links Mouth of a Brook 10 links wide
 from the North.
 N 47' E 7.50
 N 54' E 3.20 To the Corner on line between Sec. 15 & 22.

Thence in Section 15.

N 21' E 12.50
 N 54' E 3.00
 S 76' E 10.00
 S 60' E 2.42 To Corner on line between Sec. 14 & 15.

Thence in Sec. 14

N 59' E 4.50
 N 82' E 5.50
 N 33' E 5.00
 N 6' E 3.50
 N 35' W 9.50 At 6.00 considerable fall in River, with
 good Bank perhaps a Mill seat.
 N 7' W 2.00
 N 24' W 3.00
 N 28' E 6.00
 N 26' E 16.50
 N 7' W 5.00
 N 21' W 6.00
 N 35' E 7.00 At 3.00 Spring Branch
 S 80' E 14.00 At 8.50 A Brook 30 links wide from N.E.

T. 30. N. R. 7. E. 2nd Mer. Indiana

At 790 8.00
 At 180 5.50
 At 700 2.00
 North 2.22 To Corner on line between Secs. 11 & 14.

Thence in Sec. 11

North 13.50 At 7.50 lower end of Island
 At 13.50 Upper end.

At 240 12.50
 At 550 9.00
 At 680 12.50
 At 760 10.00 At 8.50 A Millen bar nearest the left shore
 At 570 7.50
 At 520 3.12 To Corner on line between Secs. 11 & 12

Thence in Sec. 12

At 530 11.50 At 6.87 A Brook strikes wide. Course
 comes from the North

At 190 9.50
 At 360 10.50
 At 450 2.81 To Corner on Right Bank of the River on
 the line between Secs. 12 & 13.

Thence up stream on the Right Bank in

At 760 8.00 Section 13
 At 680 4.98 To the Cor. on line between Secs. 12 & 13.

Thence in Section 12.

At 460 6.50
 At 540 11.00
 At 890 7.50
 At 640 4.50
 At 470 4.50
 At 500 2.50 To Corner on line between Secs. 12 & 13.

Thence in Sec. 13.

T. 30 N., R. 7 E. 2^d Mer. Ind.^a

S68 E 20.00

N76 E 2.80 to corner on Range line between Ranges 7 & 8
on the right bank of the River. May 1. 1834

N187 W 2.29 up stream on right bank in Sec. 12

N30 W 5.00

N3 E 5.50

N37 E 5.85 to Range line. Surveyed by John Hendricks, D.S.

Left bank up stream. Beginning at post in S. Boundary

N43 E 3.75 to post betw. 32 & 33

N40 E 2.50

N43 E 8.50 In Sec. 33

N15 E 9.50

N56 E 13.00

N60 E 2.72 to line betw. 27 & 28

N36 E 6.00

N87 E 1.50 In Sec. 27

N15 E 2.50

East 5.00

N4 E 11.00

S70 E 1.00

N55 E 7.00

N87 E 5.00

N19 E 2.00

N66 E 6.50

N157 W 4.50

N35 E 2.00

N309 W 4.50

N47 E 3.00

N18 E 6.00

N15 E 3.50

N8 E 3.00

N97 W 2.50

N1 E 2.00

N327 W 4.50

N157 W 11.00

N747 W 17.50

N6 E 4.00

N6 E 3.00

N80 E 4.00

N217 W 2.50

N62 E 5.00

N437 W 6.50

East 4.00

N2 E 4.50

S48 E 2.50

N17 E 5.00

S30 E 6.00

N29 E 10.00

S76 E 2.50

N68 E 1.50

N67 E 8.50

S63 E 4.00

N52 E 17.67 to line betw. 28 & 33

S51 E 2.00

N10 E 3.50 In Sec. 28

S47 E 2.00

N167 W 3.00

S38 E 3.00

N79 E 4.50 a stream 15 ft. S E

S59 E 5.50

" 1.50

N84 E 4.50

N54 E 5.00

N20 E 2.50

T. 30 N., R. 7 E. 2^d Mer. Ind. a

N 99 W	12.50	to line betw. 22 & 27	S 82 E	8.00	break 12 from SE
N 29 W	9.00	In Sec. 22	N 80 E	10.00	
N 24 W	10.50		N 53 E	4.00	
N 31 W	5.50		N 25 E	4.50	
N 12 W	2.50		N 12 E	2.50	
North	6.50		N 21 W	4.40	to line betw. 11 & 14
N 14 E	7.50		N 17 E	7.50	In Sec. 11
N 46 E	2.00		"	3.00	an Island 10 Ch. long
N 77 E	3.50		North	5.00	
N 74 E	2.50		N 14 E	1.00	
S 84 E	7.50		N 27 E	2.50	
N 67 E	3.50		N 22 E	4.50	
N 53 E	5.50		N 43 E	5.50	
N 35 E	34.00	at 17.00 Island	N 69 E	11.50	
N 16 E	2.50		N 89 E	3.00	
N 40 E	3.50		S 71 E	3.50	at 2.00 Island 3 Ch. long
N 54 E	1.87	to line betw. 15 & 22	S 63 E	8.00	
N 42 E	3.00	In Sec. 15	S 45 E	1.50	
N 16 E	2.50		S 65 E	3.50	Island 5 Ch. long
North	4.50				to line betw. 11 & 12
N 39 E	3.00		S 50 E	6.00	In Sec. 12
N 74 E	3.50		S 34 E	3.00	
S 70 E	9.65	to line betw. 14 & 15	S 18 E	10.00	
N 82 E	0.50	In Sec. 14	S 34 E	5.00	
"	5.00	Island	S 44 E	4.00	to line betw. 12 & 13
N 67 E	7.50	May 15, 1828	S 35 E	2.00	In Sec. 13
N 20 E	11.00		S 55 E	4.50	
N 28 W	8.50		S 83 E	6.50	
N 50 W	2.50		N 75 E	6.50	
N 38 W	3.00		N 62 E	22.00	
N 15 W	1.00		S 72 E	3.00	
N 25 E	7.00		S 50 E	17.50	lower point of Island
N 52 E	8.00		S 72 E	1.00	Spring branch 5 fms S
N 24 E	5.00		N 86 E	2.50	
N 39 W	12.50		S 75 E	7.50	
N 46 E	2.00		N 66 E	3.18	to line betw. R. 7 & 8
					Paul Bentley, D.S.

T. 30. N. R. 7. E. 2nd Mer. Indiana.

361

N 68 E 20.00

N 76 E 2.85 To Corner on Range line. Between Ranges 7 & 8
on the Right Bank of the River.

May 1st 1834

Up Stream on the Right Bank.

N 18 W. 2.29

N 30 W. 5.00 in the 12

N 3 E 5.50

N 37 E 5.85 To Range line

Surveyed by
John Hendricks
Dep. Surveyor.

4

T 30 N. R 7 E 2nd Mer. Indiana.

I hereby certify that in pursuance of a Contract with Micajah T. Williams Surveyor General of the United States for the States of Ohio, Indiana and the Territory of Michigan, bearing date the 27th day of December 1833, and in conformity to the laws of the United States and the instructions of the said Surveyor General, I have surveyed into Sections Township (Fractional) T 30 North of Range R 7 East of the 2nd Mer. Indiana. And I do further certify that the foregoing, are the true and mainly the original field Notes of said Survey and subdivisions, and also the true and original Notes of the Meanders of Eel River on the Right Bank, through said Township. Executed as aforesaid. Verified this 1st day of May 1834

John Hendricks
S^{up}. Surveyor.

William Nash }
William Felton } Chainmen
Nathan Simpson Marker.

I hereby certify that the foregoing transcripts of the Field Notes of Township T 30 North of Range R 7 East of the 2nd Mer. in the State of Indiana, has been compared with the original Notes in this Office and found to be correct.

Surveyor General's Office.
Sep. 26. 1844.

William Johnston
S^{up}. General.